# 2015 CONSUMER CONFIDENCE REPORT -2014 RESULTS

# Township of Mine Hill Water Department - PWSID# 1420001

During 2014, your water department conducted tests for contaminants that might be found in the water. These tests included items ranging from taste and odor, to bacteriological, to chemical and radiological. Your water supply is regulated by the New Jersey Department of Environmental Protection (NJDEP). The NJDEP sets the standards for the maximum contaminant levels as well as the action to be taken if contaminant levels are too high. This report provides information on our sources of supply and the quality of the water that we deliver. For general Information on this report, please contact:

Sam Morris, Township Mayor, Municipal Building, 10 Baker Street, Mine Hill, NJ 07803. (973) 366-9031 ext. 6.

The Township of Mine Hill does not have regularly scheduled meetings regarding the Mine Hill Water Department. All meetings of the Mayor and Council are advertised in advance in the local newspaper in the legal section. The Mine Hill Water Department will notify consumers if water quality fails to meet NJDEP standards as required by the NJDEP.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling EPA's Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap and bottled water) includes rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- <u>Microbial contaminants</u>, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- <u>Inorganic contaminants</u>, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- <u>Organic chemical contaminants</u>, including synthetic and volatile organic chemicals, which are byproducts of Industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- <u>Radioactive contaminants</u>, which can be naturally-occurring or be the result of oil and gas production and mining activities.
- <u>Pesticides and herbicides</u>, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

To ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and drug administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Morris County M.U.A. routinely monitors for contaminants in your drinking water according to federal and state laws. The Safe Drinking Water Act regulations allow monitoring waivers to reduce or eliminate the monitoring requirements for asbestos, volatile organic chemicals and synthetic organic chemicals. Our system received monitoring waivers for two of these types of contaminants, asbestos and synthetic organic chemicals. State law also allows us to monitor for some contaminants less than once a year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

#### MINE HILL SOURCE OF SUPPLY

The Township of Mine Hill purchases its entire supply of water from Morris County MUA (MCMUA) PWSID# 1432001through an interconnection located in Randolph Avenue at the town line. The MCMUA obtains its supply from two well fields, the Alamatong well field, located in Randolph, and the Flanders Valley well field located in Roxbury Township. These wells draw water from the Upper and the Lower Stratified Glacier Drift and the Upper and Lower Leithsville Limestone Formations. Water is sampled at the Alamatong well field and the Flanders Valley well field and at various locations in the water storage and transmission system.

A source water protection plan is available at the MCMUA office that provides more information such as potential sources of contamination. This plan is available for review at the MCMUA main office at 300 Mendham Road, Morris Township, New Jersey 07960. For more information, call (973) 285-8386.

# **TREATMENT**

The Mine Hill Township Water Department neither produces nor treats any water. The MCMUA is responsible for both the production and treatment of the water they sell to Mine Hill. The MCMUA treats its ground water supply using lime to adjust the pH of the water (this controls corrosion) and chlorine to disinfect the water.

## MINE HILL WATER DEPARTMENT 2015 Water Quality Report

#### **Definitions:**

Listed in the tables are the contaminants that were detected. Below you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

- **Parts per million** (**ppm**) or milligrams per liter (mg/l) one part per million corresponds to one minute in two years or a single penny in \$10,000.
- Parts per billion (ppb) or micrograms per liter one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.
- <u>Maximum Contaminant Level</u> The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- <u>Treatment Technique</u> (TT) A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.
- <u>Action Level</u> The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Picocuries per liter (pCi/l) picocuries per liter is a measure of the radioactivity in water.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u> - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer who have undergone chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

#### LEAD:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Morris County MUA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking and cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1-800-426-4791 or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

Following is a brief summary of our source water assessment performed by the NJDEP. Morris County MUA is a public community water system consisting of 8 wells, 0 - wells under the influence of surface water, 0 - surface water intakes. The systems source water comes from the following aquifers, glacial sand, and gravel limestone. The table below illustrates the susceptibility ratings on the following potential contaminant sources that the NJDEP found within the source water assessment areas. Each source has a susceptibility rating of high, medium, or low for each potential contaminant.

The following tables show the results of our water monitoring for the period of January 1st to December 31<sup>st</sup> 2014 unless otherwise specified.

Contaminant	Violation Y/N	Level Detected Low / High	Unit Measurement	MCLG	MCL	Likely Source of Contamination						
Radioactive Contaminants												
Gross Alpha	N	ND - 3.6	pCi/l	0	15	Erosion of natural deposits						
Test Results Year 2011		Highest Average= 0.9										
Combined Radium - 226 & 228	N	0.3 - 2.3	pCi/l	0	5	Erosion of natural deposits						
Test Results Year 2008		Average 0.9										
Inorganic Contaminants												
Nitrate (as Nitrogen)	Ν	0.6 – 2.9	ppm	10	10	Runoff from fertilizer use; leaching						
Test Results		Highest Detect = 2.9				from septic tanks; sewage; erosion of natural deposits						
Barium	N	ND – 0.8	ppm	2	2	Discharge of drilling wastes;						
Test Results Year 2011		Highest Detect = 0.8				discharge from metal refineries; erosion of natural deposits						
Cadmium	N	0.0 – 0.5	daa	5	5	Corrosion of galvanized pipes:						
Test Results Year 2011						erosion of natural deposits; discharge from metal refineries; runoffs from waste batteries and paints						
Volatile Organic Contaminants / Dis	sinfection By	products		•								
1,1,1 - Trichloroethane	N	ND - 0.4	ppb	200	30	Discharge from metal degreasing						
Test Results Year 2011		Highest Detect = 0.4				sites and other factories						
Methyl-tertiary butyl ether	N	ND - 0.6	ppb	70	70	Leaking underground gasoline and						
(MTBE) Test results Yr. 2013		Highest Detect = 0.6				fuel oil tanks, gasoline and fuel oil spills						
TTHMs	N	ND – 0.85	ppb	N/A	80	By-product of drinking water						
Total Trihalomethanes Test results		Total = 2.15				disinfection						
HAA5s Haloacetic Acids Test results	N	ND Total ND	ppb	N/A	60	By-product of drinking water disinfection						
Regulated Disinfectants:	Level	Detected	MR	DL		MRDLG						
Chlorine (Sodium Hypochlorite)	Averag	e = 0.5 ppm	4.0 1	opm		4.0 ppm						
Secondary Contaminant	Level	Detected	Unit of Mea	asuremer	nt	RUL						
Sodium Test Results Test Results Yr. 2014	Range	e = 6 – 6.3	pp	om		50						

### <u>Sodium</u>

We exceeded the Recommended Upper Limit (RUL) for sodium at one of our wells. For healthy individuals the sodium intake from water is not important, because a much greater intake of sodium takes place from salt in the diet. However sodium levels above the RUL may be of concern to individuals on a sodium restricted diet.

<u>Secondary Contaminant</u> – Substances that do not have an impact on health. Secondary contaminants affect aesthetic qualities such as odor, taste or appearance. Secondary standards are recommendations, not mandates.

<u>Recommended Upper Limit</u> – (RUL) Recommended maximum concentration of secondary contaminants. RUL's are recommendations, not mandates.

The following is a brief summary of our source water assessment performed by the NJDEP. Morris County M.U.A. is a public community water system consisting of 8 wells. This systems source water comes from the following aquifers: glacial sand and gravel, limestone. The table below illustrates the susceptibility rating on the following potential contaminant sources that the NJDEP found within the source water assessment areas. Each source has a susceptibility rating of high, medium, or low for each potential contaminant.

If a system is rated highly susceptible for a contamination category, it does not mean a customer is or will be consuming contaminated drinking water. The rating reflects the potential for contamination of source water, not the existence of contamination. Public water systems are required to monitor for regulated contaminates and to install treatment if any contaminants are detected at frequencies and concentrations above allowable levels.

	А		В		С		D			Е			F			G			Н					
Sources	Η	Μ	L	Η	Μ	L	Η	Μ	L	Η	Μ	L	Η	М	L	Η	М	L	Η	Μ	L	Η	Μ	L
Wells - 8		8		4	2	2	2		6		2	6		1	7	1	6	1	2	6		5	3	
GUDI – 0																								
Surface water intakes $-0$																								

A) Pathogens: Disease-causing organisms such as bacteria and viruses. Common sources are animal and human fecal wastes.

B) Nutrients: Compounds, minerals and elements that aid growth, that are both naturally occurring and man made.

- C) Volatile Organic Compounds: Man made chemicals used as solvents, degreasers, and gasoline components.
- D) Pesticides: Man made chemicals used to control pests, weeds and fungus. Common sources include land application and manufacturing centers of pesticides.
- E) Inorganics: Mineral-based compounds that are naturally occurring and man made.
- F) Radionuclides: Radioactive substances that are naturally occurring and man made.
- G) Radon: Colorless, odorless, cancer causing gas that occurs naturally in the environment.

H) Disinfection Byproduct Precursors: A common source is naturally occurring organic matter in surface water.

Disinfection by products are formed when the disinfectants (usually chlorine) is used to kill pathogens react with dissolved organic material present in water.

#### Morris County MUA is pleased to report that our drinking water is safe and meets federal and state standards.

If you have any questions about this report, contact Chief Engineer, John Scarmozza at (973-285-8386) or Chief Water Operator, Anthony Milonas at (973-584-5503). We want our valued customers to be informed about their water quality. If you want to learn more, feel free to attend any of the MCMUA regularly scheduled meetings, call (973-285-8385) for dates and times.

If you have any questions regarding the source water assessment report or summary please contact the Bureau of Safe Drinking Water at <a href="mailto:swap@dep.state.nj.us">swap@dep.state.nj.us</a> or call 609-292-5550

TOWNSHIP OF MINE HILL 10 BAKER STREET MINE HILL, NEW JERSEY 07803 PRESORT STANDARD U.S. POSTAGE PAID Dover, NJ 07801 PERMIT NO. 60

# **Postal Patron Mine Hill, NJ 07803**

\*\*IMPORTANT 2014 CONSUMER CONFIDENCE WATER QUALITY REPORT ENCLOSED \*\*

# ANNUAL DRINKING WATER QUALITY REPORT FOR 2014 RESULTS FROM THE YEAR 2013

# TOWNSHIP OF MINE HILL WATER UTILITY